

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	220	((path) near2 (type)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L2	130269	((select\$3 choose choosing pick picking) NEAR3 (adaptor port interface path)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L3	126	((user) NEAR3 (select\$3 choose choosing pick picking) NEAR3 (adaptor port path)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L4	2725	((select\$3 choose choosing pick picking) NEAR3 (adaptor port interface path)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L5	67	((select\$3 choose choosing pick picking) NEAR3 (adaptor port interface path)) SAME ((storage) near2 (server))) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L6	990	((select\$3 choose choosing pick picking) NEAR3 (adaptor port interface path)) AND ((storage) near2 (server)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "711"/\$.CCLS.) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L7	323	((select\$3 choose choosing pick picking) NEAR3 (adaptor port interface path)) AND ((storage) near2 (server)) AND ("710"/8,38. CCLS. "709"/217,228.CCLS. "711"/\$. CCLS.) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09

EAST Search History

L8	1279	((user) NEAR3 (select\$3 choose choosing pick picking) NEAR3 (adaptor port interface path)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L9	0	((path) near2 (type)) SAME (bi-directional unidirectional "direct connection") AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L10	220	((path) near2 (type)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L11	220	((path) near2 (type)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L12	357	((display\$3 select\$3) NEAR4 ((path) NEAR2 (type))) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L13	155	((select\$3) NEAR4 ((path) NEAR2 (type))) AND (storage disk SAN NAS) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L14	467	710/38.CCLS. AND (storage disk SAN NAS) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L15	126	((user) NEAR3 (select\$3 choose choosing pick picking) NEAR3 (adaptor port path)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09

EAST Search History

L16	67	((select\$3 choose choosing pick picking) NEAR3 (adaptor port interface path)) SAME ((storage) near2 (server))) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L17	4	((path) WITH (bi-directional) WITH (unidirectional)) AND ((storage) near2 (server)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:09
L18	89	((detect) NEAR3 (failed new newly) NEAR3 (path)) AND (@ad<"20040225" @rlad<"20040225")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/08 13:10